

CMC Decision n. 39/11 – updated with recent tariff increases
(Oct. 1st., 2012)

	Code (NCM number)	Product	Mercosur Uniform External Tariff (TEC)	Exceptions to TEC
1	2004.10.00	potatoes	14%	25%
2	2901.10.00	Saturated [acyclic hydrocarbons]	2%	-
		Ex 011 Pentanes	-	14%
3	2917.14.00	Maleic Anhydride [Polycarboxylic acids]	12%	20%
4	2905.13.00	Butan-1-ol (n-butyl alcohol) [Acyclic alcohol]	12%	20%
5	2937.29.50	Spironolactone [active principle for high blood pressure treatment medicines]	14%	20%
6	2909.41.00	2,2' – oxybisethanol (diethylene)	14%	20%
7	2905.31.00	Ethylene glycol (ethanediol)	12%	20%
8	2710.19.91	White mineral oils (Vaseline or paraffin oils) [petroleum oils or bituminous mineral oils]	4%	25%
9	3402.13.00	Non-ionic [organic surface agents (except soaps)]	14%	-
		Ex 001 fatty amine ethoxylate	-	20%
		Ex 002 ethoxylated nonylphenols	-	20%
10	3824.90.29	Others [prepared agglutinatives]	14%	-
		Ex 001 ethoxylated lauryl alcohol	-	20%
11	8701.30.21	of aluminum [plates sensitized with photosensitive polymers]	14%	20%
12	3701.30.31	of aluminum [plates sensitized by other procedures]	14%	20%
13	3824.90.85	Methylated sodium in methanol	14%	20%
14	3901.10.10	Linear [polymers of ethylene, in primary forms]	14%	20%
15	3901.10.92	Unladen [polymers of ethylene, in primary forms]	14%	20%
16	3901.20.29	Others [polymers of ethylene, in primary forms]	14%	20%
17	3901.90.90	Others [polymers of ethylene, in primary forms]	14%	20%
18	3907.30.22	Others, according to Note 6 a) of this Chapter [epoxy resins]	14%	20%
19	3907.40.90	Others [polycarbonates]	14%	-
		Ex 001 polycarbonate resin (PC), no optical degree, in primary form	-	20%
20	3906.10.00	poly (methyl methacrylate) [acrylic polymers, in primary forms]	14%	20%
21	3920.51.00	of poly (methyl methacrylate) [other plates]	16%	25%
22	3921.19.00	of other plastics [other plates]	16%	25%
23	3920.61.00	of polycarbonates [other plates]	16%	25%
24	3904.61.90	others [polymers of vinyl chloride]	2%	14%
25	3901.30.90	others [copolymers of ethylene and vinyl acetate]	14%	-
		Ex 001 flame retardant compounds free of halogens, with low emission of smoke and toxic gases under fire	-	20%

26	3920.43.90	others [flexible laminated PVC with no reinforcement]	16%	-
		Ex 001 Other plates, sheets, pelicula, strips and laminates, of non-alveolar plastic, with no reinforcement nor stratification, without supports and disassociated from another materials, of polymers of vinyl chloride, containing at least 6% of plasticizers in weight	-	25%
27	3920.49.00	Others [laminated rigid PVC]	16%	-
		Ex 001 Other plates, sheets, pelicula, strips and laminates, of non-alveolar plastic, with no reinforcement nor stratification, without supports and disassociated from another materials, of polymers of vinyl chloride, others	-	25%
28	3921.90.19	Others [other plates, sheets, pelicula, strips and laminates, made of plastic]	16%	-
		Ex 001 laminated PVC with textile reinforcement	-	25%
29	3918.10.00	Of polymers of vinyl chloride [floor covering (paving), made of plastic, including auto-adhesive, in rolls or tile-shaped, or mosaic-shaped; wall and ceiling covering, made of plastic, defined under Note 9 of this Chapter]	16%	25%
30	3920.10.99	Others [Of polymers of ethylene, other plates, sheets, pelicula, strips and laminates, of non-alveolar plastic, with no reinforcement nor stratification, without supports and disassociated from another materials]	16%	25%
31	3920.20.19	Others [other plates, sheets, pelicula, strips and laminates, of non-alveolar plastic]	16%	25%
32	3924.90.00	Others [tableware and other domestic utensils, of hygiene or toilet, made of plastic]	18%	25%
33	3924.10.00	Tableware and other kitchen or table utensils	18%	25%
34	4002.20.90	Others [butadiene rubber (BR)]	12%	25%
		Ex 001 Polybutadiene rubber (BR) in bundles, plates, sheets or strips		
35	4008.21.00	Plates, sheets and strips [of non-alveolar rubber]	14%	-
		Ex 001 friezes of 3 or 4 sheets of fabric, covered by synthetic rubber for offset printers covers ("blankets")	-	25%
36	4013.20.00	Of forms used in bicycles [rubber air chambers for tires]	16%	25%
37	4013.90.00	Others [rubber air chambers for tires]	16%	-
		Ex 001 Of the ones used in motorcycles	-	25%
38	4805.91.00	Of weight up to 150 g/m ² [other papers and cards, uncoated, in rolls or sheets, without complementary work or treatment, except for the ones specified under Note 3 of this Chapter]	12%	-

		Ex 001 One-colored decorative papers and base for printing	-	25%
39	4810.13.90	Others [Paper and cards used for writing, printing or other uses in graphic, without mechanically or chemically-obtained fibers, or with percentages of those fibers inferior to 10% in weight of the total fiber content]	14%	25%
40	4810.19.89	Others [Paper and cards used for writing, printing or other uses in graphic, without mechanically or chemically-obtained fibers, or with percentages of those fibers inferior to 10% in weight of the total fiber content, of weight superior to 150 g/m ²]	14%	25%
41	4810.19.90	Others [Paper and cards used for writing, printing or other uses in graphic, without mechanically or chemically-obtained fibers, or with percentages of those fibers inferior to 10% in weight of the total fiber content]	14%	25%
42	4810.29.90	Others [Paper and cards used for writing, printing or other uses in graphic, without mechanically or chemically-obtained fibers, or with percentages of those fibers superior to 10% in weight of the total fiber content]	14%	25%
43	4810.92.90	Others [Other papers and cards of multiple coats]	14%	25%
44	4011.10.00	Of the types used in passenger vehicles (including the ones with mixed used (<i>station wagons</i>) and race cars) [New rubber tires] Ex 001 Radial tires for cars and their derivatives with a section width of the tread (tread) 185 mm, 60 series, with internal diameter (rim) of 14" – (185/60 R14) Ex 002 Radial tires for cars and their derivatives with a section width of the tread (tread) 185 mm, 60 series, with internal diameter (rim) of 15" – (185/60 R15) Ex 003 Radial tires for cars and their derivatives with a section width of the tread (tread) 195 mm, 55 series, with internal diameter (rim) of 15" – (195/55 R15) Ex 004 Radial tires for cars and their derivatives with a section width of the tread (tread) 195 mm, 65 series, with internal diameter (rim) of 15" – (195/65 R15) Ex 005 Radial tires for cars and their derivatives with a section width of the tread (tread) 205 mm, series 55, with internal diameter (rim) of 16" – (205/55 R16)	16%	25%
45	4011.20.90	Others [New rubber tires, used in buses or trucks] Ex 001 Radial tires with a section width of the	16%	25%

		tread (tread) 285 mm, 70 series, with internal diameter (rim) of 19.5" – (285/70 R19.5) Ex 002 Radial tires with a section width of the tread (tread) 215 mm, 75 series, with internal diameter (rim) of 17.5" – (215/75 R17.5) Ex 003 Radial tires with a section width of the tread (tread) 305 mm, 75 series, with internal diameter (rim) of 24.5" – (305/75 R24.5) Ex 004 Radial tires with a section width of the tread (tread) 325 mm, 95 series, with internal diameter (rim) of 24" – (325/95 R24) Ex 005 Diagonal tires with a section width of the tread (tread) 10.00 with internal diameter (rim) of 20" – (10.00-20)		
46	5510.11.00	- - simple (viscose yarn)	18%	25%
47	6406.10.00	superior parts and components of footwear, except for shoe buttresses and rigid toes	18%	25%
48	6406.20.00	soles or heels, made of rubber or plastic	18%	25%
49	6902.20.10	silicon-aluminous bricks	10%	25%
50	6902.20.99	others (bricks)	10%	-
		Ex 001 alumina firebricks and pieces, burned and volumetrically stable, and resistant to scoria and thermal shock	-	25%
		Ex 002 firebrick of Al ₂ O ₃ containing carbon, alumina base electro fused, flake graphite, with addition of anti-oxidants on the resin and cured	-	25%
51	6902.10.90	Others (firebricks)	10%	25%
52	7005.21.00	colored throughout the mass, opacified, plated or simply chopped [float glass]	10%	20%
53	7005.29.00	Others [Float, chopped or polished glass in one or two of its sides, in sheets or plates, even with absorbing coat, reflective or not, but not otherwise manufactured]	10%	20%
54	7007.19.00	others [Safety glass consisting of tempered glass or manufactured with bundled sheets]	12%	25%
55	7007.29.00	others [Safety glass consisting of tempered glass or manufactured with bundled sheets]	12%	25%
56	7208.38.90	others [Others, in rolls, hot laminated, with thickness equivalent or superior to 3 mm, but inferior to 4,75 mm]	12%	25%
57	7208.39.10	With a minimum elasticity of 275 Mpa [Others, in rolls, hot laminated, with thickness of less than 3 mm]	10%	25%
58	7208.39.90	Others [Others, in rolls, hot laminated, with thickness of less than 3 mm]	12%	25%
59	7208.51.00	With thickness of 10 mm or more [sheets]	12%	25%
60	7213.91.90	Others [machine wire or iron or steel]	12%	-
		Ex 001 Machine wire of iron or steel with circular diameter section of less than 14 mm with a carbon content of less than 0.6 wt%	-	22%

61	7219.33.00	Thickness of more than 1 mm, but less than 3 mm [laminated]	14%	25%
62	7219.34.00	Thickness equals to or more than 0,5 mm, but not over 1 mm [laminated]	14%	25%
63	7222.20.00	Bars simply obtained or cold-finished	14%	25%
64	7225.11.00	Of grain oriented [Plain laminated products]	14%	25%
65	7304.39.10	uncoated pipes of outer diameter not exceeding 229 mm [others]	16%	25%
66	7303.00.00	pipes and hollow profiles of cast iron	12%	25%
67	7302.90.00	Others	12%	-
		Ex 001 tramway track construction material, of iron or steel: rails, racks and counter-rails, needles and other crossing and deviation elements, sleepers, fishplates, rail cushions, angles, plates or settlement support, clamping plates, plates and rods separation and other pieces for fixation, articulation, or support of rail junctions	-	25%
68	7306.19.00	others [Other pipes and hollow profiles (for example, welded, riveted, stapled or similarly put together), of iron or steel]	14%	-
		Ex 001 Circular cross section of carbon steel pipes for oil and gas pipelines	-	25%
69	7305.12.00	Others, longitudinally welded [other pipes]	14%	25%
70	7307.23.00	Accessories for butt-welding [pipe accessories]	14%	25%
71	7411.10.10	Not finned or grooved [refined copper pipes]	14%	25%
72	7411.10.90	Others [Copper pipes, refined]	14%	25%
73	7607.11.90	Others [rolled thin aluminum sheets and strips (even printed or with paper, card, plastics or similar supports) of a thickness not exceeding 0.2 mm (excluding any support)]	12%	20%
74	7607.19.90	Others [thin aluminum sheets and strips (even printed or with paper, card, plastics or similar supports) of a thickness not exceeding 0.2 mm (excluding any support)]	12%	20%
75	7606.12.90	Others [non-combined aluminum sheets and strips of a thickness exceeding 0.2 mm]	12%	20%
76	7606.11.90	Others [aluminum alloy sheets and strips of a thickness exceeding 0.2 mm]	12%	20%
77	7614.10.10	Ropes and cables [with steel interior]	12%	25%
78	7614.90.10	Cables [others]	12%	25%
79	7217.20.90	Others [galvanized iron or non-alloy steel wires]	12%	25%
80	7229.20.00	Of silico-manganese steel [other alloy steel wires]	14%	25%
81	8511.90.00	Parts [ignition or starter appliances and electrical devices for spark-ignited or compression motors (for example, magnetos, magneto-dynamos, ignition coils, spark ignition or heating plugs, starter motors); generators (for example, dynamos and alternators) and	18%	25%

		cut-breakers used with these motors]		
82	8418.50.90	Others [Other pieces of furniture (chests, cabinets, displays, counters and the like) for the conservation or exhibition of products, that are incorporated in cooling equipment]	14BK	25BK
83	8523.51.90	Others [non-volatile data storage devices, with semi-conductor base]	16%	25%
84	8429.51.99	Others [front-loading loaders and shovel loaders]	14BK	-
		Ex 003 Shovel loaders moved by tires of over 59hp	-	25BK
85	8429.52.19	Others [machines with superstructure capable of a 360° rotation]	14BK	-
		Ex 018 hydraulic excavators (with power between 90 and 450hp)	-	25BK
86	8536.30.00	Other devices for electrical circuits protection	16%	-
		Ex 001 Protective device against electrical surges - DPS	-	25%
87	8501.40.19	Others [motors and generators]	18%	-
		Ex 001 other electrical A/C motors, single-phase, asynchronous, of power over 36.5W but under 15kW	-	25%
88	8607.11.10	Bogies	14BK	-
		Ex 001 Railway trucks of molten steel and their components	-	25BK
89	8504.10.00	Ballasts for lamps or discharge tubes	18%	25%
90	9022.13.11	Of jaw panoramic images [x-ray equipment, for medical, surgical, dental or veterinarian purposes, including radiophotography and radiotherapy devices]	0%	14%
91	8413.60.11	Of gears [other rotation volumetric pumps]	14%	25%
92	8429.40.00	Compactors and rollers or cylindrical compressors	14%	25%
93	8457.10.00	Machining centers	14%	25%
94	8477.20.10	For thermoplastic materials, with inferior thread diameter equals to or less than 300 mm	14%	25%
95	8481.80.95	Spherical valves	14%	25%
96	8483.40.90	Others [transmission trees (including camshafts and crankshafts trees) and cranks; sockets (bearings) and “bronzes”; gears and friction wheels; ball or roller axes; reducers, multipliers, transmission boxes and variable speed drives, including torque converters; flywheels and pulleys, including pulleys for cardinals; gearing and coupling devices, including articulation joints]	14%	25%
97	8536.20.00	Breakers [link or connecting, interrupting, sectioning, protection and derivation devices for electrical circuits (for example, switches, circuit breakers, peak voltage suppressors,	18%	25%

		outlets and sockets, supports for lamps and other connectors, junction boxes) for a tension not superior to 1,000 V; optical fiber connectors, bundles or optical fiber cables]		
98	8537.10.90	Others [boards, panels, consoles, desks, cabinets and other bases]	18%	25%
99	8606.91.00	Covered and closed [railway wagons for transportation of goods]	14BK	-
		Ex 001 Closed cargo wagons of the hopper kind, in steel or aluminum	-	25BK
100	8606.92.00	Open, with fixed walls of more than 60 cm [railway wagons for transportation of goods]	14BK	-
		Ex 001 Open cargo wagons of the gondola and hopper kind, in steel or aluminum	-	25BK